



OSIN

Perfiles extruidos
Extrusion profiles



E01



E02



E03



E04



E05



E06



E07



E08



E09



E10



E11



E12



E13



E14



E15



E16



E17



E18



E19



E20



E21



E22



E23



E24




E25



E26



E27



E28



E29



E30



E31



E32



E33



E34



E35



E36



E37



E38



E39



E40



E41



E42



E43



E44



E45




E46



E47



E48



E49



E50



E51



E52



E53



E54



E55



E56



E58



E59



E60



E61



E62



E63



E64



E65



E66



E67



E68



E69



E70

La extrusión a medida se puede fabricar en una variedad infinita de formas, dimensiones y perfiles, así como con un amplio rango de materiales. Se encuentran disponibles extrusiones de caucho a granel, laminadas o de corte longitudinal específico, que brindan una solución de sellado rentable adecuada para numerosos usos. Otras aplicaciones consisten en sellos que requieren baja fuerza de sujeción, perfiles no moldeables con un gran diámetro, juntas tóricas huecas y perfiles extruidos adicionales con diámetros interiores considerables.

The bespoke extrusion can be crafted into an endless variety of shapes, dimensions, and profiles, as well as a wide range of materials. Bulk, rolled, or specific length-cut rubber extrusions are available, providing a cost-efficient sealing solution suitable for numerous uses. Other applications consist of seals requiring low clamping force, non-formable profiles with a large diameter, hollow O-rings, and additional extruded profiles featuring substantial interior diameters.





OSN since 1992
Pol. Ind. "Els Maset"
Avinguda Maset, 35
43719 Bellvei, Tarragona, ES
(T) +34 977 13 47 00
(@) info@osn.es
(w) osnseals.com